

STRAIGHT DCP PLATES

Stainless Steel				
Plate	N° of holes	Total lenght (mm)	Width (mm)	Thickness (mm)
DCP 1.5/ 2.0mm	2+2	23.0	5.00	1.50
	2+3	28.0		
	3+3	33.0		
	3+4	38.0		
	4+4	43.0		
	4+5	48.0		
	5+5	53.0		
	5+6	58.0		
	6+6	63.0		
DCP 2.4mm	2+2	34.0	6.50	2.00
	2+3	42.0		
	3+3	50.0		
	3+4	58.0		
	4+4	66.0		
	4+5	74.0		
	5+5	82.0		
	5+6	90.0		
	6+6	98.0		
DCP 2.7mm	2+2	37.0	8.00	2.50
	2+3	45.0		
	3+3	53.0		
	3+4	61.0		
	4+4	69.0		
	4+5	77.0		
	5+5	85.0		
	5+6	93.0		
	6+6	101.0		
DCP 3.5mm	2+2	53.0	10.00	3.00
	2+3	66.0		
	3+3	77.0		
	3+4	91.0		
	4+4	102.0		
	4+5	114.0		
	5+5	126.0		
	5+6	137.4		
	6+6	148.5		
DCP 3.5mm - Broad	2+2	65.1	12.10	4.30
	2+3	74.1		
	3+3	88.1		
	3+4	101.9		
	4+4	115.8		
	4+5	129.2		
	5+5	143.3		
	5+6	157.7		
	6+6	172.0		
DCP 4.5mm	2+2	74.2	12.40	4.00
	2+3	90.3		
	3+3	105.7		
	3+4	127.2		
	4+4	138.0		
	4+5	154.2		
	5+5	170.2		
	5+6	186.2		
	6+6	202.2		

STRAIGHT LOCKING PLATE

Titanium				
Locking Plate	N° of holes	Total length (mm)	Width (mm)	Thickness (mm)
1.5mm	2+2	23,5	4.5 ± 0.15	1.5 ± 0.15
	2+3	28,0		
	3+3	32,5		
	3+4	37,0		
	4+4	41,5		
	4+5	46,0		
	5+5	50,5		
	5+6	55,0		
	6+6	59,5		
2.0mm	2+2	30,0	5.5 ± 0.15	1.5 ± 0.15
	2+3	37,0		
	3+3	44,0		
	3+4	51,0		
	4+4	58,0		
	4+5	65,0		
	5+5	72,0		
	5+6	79,0		
	6+6	86,0		
2.4mm	2+2	39,0	6.8 ± 0.15	2.0 ± 0.15
	2+3	48,0		
	3+3	57,0		
	3+4	66,0		
	4+4	75,0		
	4+5	84,0		
	5+5	93,0		
	5+6	102,0		
	6+6	111,0		
2.7mm	2+2	40,0	7.5 ± 0.15	2,6 ± 0.15
	2+3	49,0		
	3+3	58,0		
	3+4	67,0		
	4+4	76,0		
	4+5	85,0		
	5+5	94,0		
	5+6	103,0		
	6+6	112,0		
3.5mm	2+2	57,5	11.0 ± 0.15	3,3 ± 0.5
	2+3	70,5		
	3+3	83,5		
	3+4	96,5		
	4+4	109,5		
	4+5	122,5		
	5+5	135,5		
	5+6	148,5		
	6+6	161,5		
3.5mm - Broad	2+3	71,5	13.0	4.0
	3+3	84,5		
	3+4	97,5		
	4+4	110,5		
	4+5	123,5		
	5+5	136,5		
	5+6	149,5		
	6+6	162,5		

BIOLOGICAL HEALING PLATE

Titanium				
Locking Plate	Gap	Total lenght (mm)	Width (mm)	Thickness (mm)
1.5mm	3+3 (15,5mm)	41.5	4,8 ± 0,15	1,4 ± 0,15
	3+3 (20mm)	46.0		
	3+3 (24,5mm)	50.5		
	3+3 (29mm)	55.0		
	3+3 (33.5mm)	59.5		
	3+3 (38mm)	64.0		
	3+3 (42.5mm)	68.5		
2.0mm	3+3 (21mm)	58.0	5,5 ± 0,15	1,5 ± 0,15
	3+3 (28mm)	65.0		
	3+3 (35mm)	72.0		
	3+3 (42mm)	79.0		
	3+3 (49mm)	86.0		
	3+3 (56mm)	93.0		
	3+3 (63mm)	100.0		
2.4mm	3+3 (28mm)	75.0	6,8 ± 0,15	2,0 ± 0,15
	3+3 (37mm)	84.0		
	3+3 (46mm)	93.0		
	3+3 (55mm)	102.0		
	3+3 (64mm)	111.0		
	3+3 (73mm)	120.0		
	3+3 (82mm)	129.0		
2.7mm	3+3 (28mm)	76.0	7,5 ± 0,15	2,6 ± 0,15
	3+3 (37mm)	85.0		
	3+3 (46mm)	94.0		
	3+3 (55mm)	103.0		
	3+3 (64mm)	112.0		
	3+3 (73mm)	121.0		
	3+3 (82mm)	130.0		
3.5mm	3+3 (40mm)	109.5	11,0 ± 0,15	3,3 ± 0,15
	3+3 (53mm)	122.5		
	3+3 (66mm)	135.5		
	3+3 (79mm)	148.5		
	3+3 (92mm)	161.5		
	3+3 (105mm)	173.5		
	3+3 (118mm)	186.5		

LC-DCP PLATES

Plate	N° of holes	Total length (mm)	Width (mm)	Thickness (mm)
LC-DCP 2.7mm	2+2	43,0	8,00	2,40
	2+3	48,0		
	3+3	57,0		
	3+4	66,0		
	4+4	75,0		
	4+5	84,0		
	5+5	93,0		
	5+6	102,0		
	6+6	110,0		
LC-DCP 3.5mm	2+2	67,5	10,00	4,05
	2+3	81,5		
	3+3	95,5		
	3+4	109,5		
	4+4	123,5		
	4+5	137,7		
	5+5	151,6		
	5+6	165,5		
	6+6	179,5		
LC-DCP 3.5mm - Broad	2+2	67,8	12,00	4,30
	2+3	81,8		
	3+3	95,8		
	3+4	109,4		
	4+4	123,9		
	4+5	137,9		
	5+5	151,7		
	5+6	167,7		
	6+6	178,6		

T PLATES

Stainless Steel					
Plate	Number of holes	Total length (mm)	Head width (mm)	Shaft width (mm)	Thickness (mm)
T Plates 1.5mm	2+3	20,2	7,6	4,4	1,1
	2+4	24,4			
	3+3	23,6	7,8		
	3+4	28,2			
T Plates 2.0mm	2+3	28,0	8,5	5,0	1,5
	2+4	35,0			
	3+3	29,5	9,6		
	3+5	42,5			
T Plates 2.4mm	2+3	29,0	12,5	6,8	2,0
	2+4	36,0			
	2+7	58,0			
	2+8	64,0			
	3+3	34,0			
	3+4	41,0			
	3+5	48,0			
T Plates 2.7mm	2+3	34,0	16,0	8,1	2,0
	2+4	42,0			
	2+7	66,0			
	2+8	74,0			
	3+3	39,0			
	3+4	47,0			
	3+5	55,0			
T Plates 3.5mm	2+3	48,1	22,0	10,1	3,0
	2+4	60,2			
	2+8	108,2			
	3+3	55,4			
	3+4	67,3			
	3+5	79,6			

T LOCKING PLATES

Titanium					
Plate	Number of holes	Total length (mm)	Head width (mm)	Shaft width (mm)	Thickness (mm)
T Locking 1.5mm	3+3	22.7	8.0	4.6	1.5
	3+5	32.9			
T Locking 2.0mm	3+3	32.5	9.6	5.0	1.5
	3+5	45.5			
T Locking 2.4mm	3+3	37.0	12.5	6.8	2.0
	3+5	51.0			
T Locking 2.7mm	3+3	42.0	16	8.1	2.0
	3+5	58.0			
T Locking 3.5mm	3+3	58.4	22.3	10.2	3.0
	3+5	82.6			

BUTTERFLY PLATES

Plate	Number of holes	Total length (mm)	Head width (mm)	Shaft width (mm)	Thickness (mm)
Butterfly 2.0mm	2+2	15.8	10.4	4.4	1.2
	2+2 Wide head	17	12.9	5.1	
	3+3	22.9	10.6	6	
Butterfly 2.4mm	2+2	18.4	12.2	5.2	2
	2+2 Wide head	20.9	14.6	5.8	
	3+3	26.4	12.3	6.8	
Butterfly 2.7mm	2+2	20.9	13.9	6	2
	2+2 Wide head	24.8	16.4	6.6	
	3+3	29.8	13.9	7.5	

ACETABULAR PLATES

Stainless Steel					
Plate	Number of holes	Total length (mm)	Width (mm)	Thickness (mm)	
Acetabular 2.0mm	2+2	26.75	5	1.2	
Acetabular 2.4mm	3+3	33.4	6.5	1.5	
Acetabular 2.7mm	3+3	40	7	2	
Acetabular 3.5mm	3+3	48	8	2.5	

ACETABULAR LOCKING PLATES

Titanium					
Plate	Number of holes	Total length (mm)	Width (mm)	Thickness (mm)	
Acetabular Locking 2.0mm	2+2	26.6	4.9	1.5	
Acetabular Locking 2.4mm	3+3	33.3	6.5	1.5	
Acetabular Locking 2.7mm	3+3	39.8	7	2.1	
Acetabular Locking 3.5mm	3+3	47.9	8	2.5	

SUPRACONDYLAR PLATES

Plate	Number of holes	Total length (mm)	Head width (mm)	Shaft width (mm)	Thickness (mm)
Supracondylar 2.0mm	4+5 Right	35,5	17,5	5,5	1,5
	4+5 Left	35,5			
	3+5 Right	36,5			
	3+5 Left	36,5			
	3+7 Right	56,2			
	3+7 Left	56,2			
Supracondylar 2.4mm	4+5 Right	49,5	18	6,5	2,2
	4+5 Left	49,5			
	3+9 Right	77			
	3+9 Left	77			
Supracondylar 2.7mm	4+5 Right	68	20	8	2,5
	4+5 Left	68			
	4+6 Right	76			
	4+6 Left	76			
	4+7 Right	84			
	4+7 Left	84			
Supracondylar 3.5mm	4+9 Right	115	24	10	3
	4+9 Left	115			

SUPRACONDYLAR LOCKING PLATES

Plate	Number of holes	Total length (mm)	Head width (mm)	Shaft width (mm)	Thickness (mm)
Supracondylar 1.5 mm	3+4 Right	38	9	4,5	1,5
	3+4 Left				
Supracondylar 2.0 mm	3+4 Right	45.5	10	6	2
	3+4 Left				
Supracondylar 2.4 mm	3+4 Right	58	12	6.5	2
	3+4 Left				
Supracondylar 2.7 mm	3+4 Right	69	16	8.5	2.5
	3+4 Left				
Supracondylar 3.5 mm	3+4 Right	85	19	10.5	4
	3+4 Left				

TPLO PLATES

Stainless Steel					
Plate	Number of holes	Total length (mm)	Head width (mm)	Shaft width (mm)	Thickness (mm)
TPLO 2.0mm	3+3 Right	26	10	5.2	1.5
	3+3 Left				
TPLO 2.4mm	3+3 Right	35.4	13.4	6.6	1.5
	3+3 Left				
TPLO 2.7mm	3+3 Right	40.7	16.4	8.3	2
	3+3 Left				
TPLO 3.5mm	3+3 Right	64	16.8	10	2.5
	3+3 Left				

TPLO LOCKING PLATES

Titanium						
Plate	Number of holes	Total length (mm)	Head width (mm)	Shaft width (mm)	Thickness (mm)	
TPLO Locking 1.5mm	3+3 Right 3+3 Left	23.5	8.5	4.6	1.5	
TPLO Locking 2.0mm	3+3 Right 3+3 Left	31.5	10.1	5.5	2	
TPLO Locking 2.0mm - 2.0mm Offset	2+2 Right 2+2 Left	30	11	6	2	
TPLO Locking 2.0mm - 4.0mm Offset	2+2 Right 2+2 Left	30	11	6	2	
TPLO Locking 2.4mm	3+3 Right 3+3 Left	35	12	6.5	2.2	
TPLO Locking 2.7mm	3+3 Right 3+3 Left	45	15.7	8.5	2.5	
TPLO Locking 3.5mm	3+3 Right 3+3 Left	59.5	21.2	11.5	3.5	
TPLO Locking 3.5mm Broad	4+9 Right 4+9 Left	65	22	12.5	4.2	

DPO LOCKING PLATES

Titanium				
Plate	Number of holes	Total length (mm)	Head width (mm)	Thickness (mm)
DPO Locking 3.5mm 25°	3+4 Right 3+4 Left	45	19	3
DPO Locking 3.5mm 30°	3+4 Right 3+4 Left	44	18	3

CARPAL PANARTHRODESIS

Plate	Measure	Total length (mm)	Minimum width (mm)	Maximum width (mm)	Minimum Thickness (mm)	Maximum Thickness (mm)
Carpal Panarthrodesis	1.5 - 2.0mm	53.5	4.1	6.5	1.3	2
	2.0 - 2.7mm	76.5	6	8	1.3	2
	2.7 - 3.5mm	102	7.5	10	2.5	3.2

CARPAL PANARTHRODESIS LOCKING PLATES

Plate	Measure	Total length (mm)	Minimum width (mm)	Maximum width (mm)	Minimum Thickness (mm)	Maximum Thickness (mm)
Carpal Panarthrodesis	1.5 - 2.0mm	53,5	4,1	6,5	1,3	2
	2.0 - 2.7mm	76,5	6	8	1,3	2
	2.7 - 3.5mm	102	7,5	10	2,5	3,2

TARSAL PANARTHRODESIS

Plate	Number of Holes	Measure	Total length (mm)	Minimum width (mm)	Maximum width (mm)	Minimum Thickness (mm)	Maximum Thickness (mm)	Angle (°)
Tarsal Panarthrodesis	4+1+5 Left / Right	1.5 - 2.0mm	61	3,5	5	1,5	2	135
		2.0 - 2.7mm	99	5,5	8	1,5	2	135
		2.7 - 3.5mm	131	7	10	3	3	135

TARSAL PANARTHRODESIS LOCKING PLATES

Plate	Number of Holes	Measure	Total length (mm)	Minimum width (mm)	Maximum width (mm)	Minimum Thickness (mm)	Maximum Thickness (mm)	Angle (°)
Locking Tarsal Panarthrodesis	4+1+5 Left / Right (135°)	1.5 - 2.0mm	64	3,5	5	1.5	2	140
		2.0 - 2.7mm	103	5,5	8	2	2	140
		2.7 - 3.5mm	138	7	10	3	3	140
	4+1+5 Left / Right (120°)	1.5 - 2.0mm	60	3.5	5	1.5	2	120

CUTTABLE PLATES

Plate	Measure	Number of holes	Space between holes	Total length (mm)	Width (mm)	Thickness (mm)
Cutable Plates	1.0mm	22	4mm	90	3	1.2
	1.0mm	30	3mm	90	3	1.2
	1.5mm	27	4mm	120	3.8	1.5
	2.0mm	30	5mm	150	5	1.5
	2.4mm	25	5.5mm	140	6.6	1.5
	2.7mm	25	6 mm	150	6	2
	3.5mm	20	7mm	150	8	2.5

RECONSTRUCTION PLATES

Plate	Measure	Number of holes	Total length (mm)	Width (mm)	Thickness (mm)
Reconstruction	2.0mm	20	100	5.2	1.5
	2.4mm	25	162.5	6.5	2
	2.7mm	20	159.5	8	2.5
	3.5mm	20	239.5	11	3